

①

00017



THE OPEN UNIVERSITY OF SRI LANKA
FACULTY OF HEALTH SCIENCES
DEPARTMENT OF MEDICAL LABORATORY SCIENCES
ACADEMIC YEAR 2018/2019 – SEMESTER I

BACHELOR OF MEDICAL LABORATORY SCIENCES HONOURS
MLU3141 – APPLICATION TO MEDICAL STATISTICS
FINAL EXAMINATION DURATION: TWO HOURS

DATE: 5th November 2019

TIME: 09.30 AM – 11.30 AM

1. 1. 1.

2. 2. 2.

3. 3. 3.

4. 4. 4.

Part B – Short Answer Questions (30 marks)

1. Sizes of cells (μm) in a sample are as follows;

12, 22, 40, 15, 22, 22, 33, 16, 30, 21, 35, 24, 28, 10, 32, 28, 44, 42, 33

1.1 Construct stem and leaf plot for above sample.

(5 marks)

.....

.....

.....

.....

.....

.....

1.2 Compute first quartile (Q1) and third quartile (Q3).

(6 marks)

.....

.....

.....

.....

.....

.....

1.3 Compute interquartile range (IQR) and range.

(4 marks)

.....

.....

.....

.....

(Total 15 marks)

INDEX NO:

2. The systolic blood pressure measurements of 120 normal individuals are normally distribute with mean of 100Hg/mm and variance of $100(\text{Hg/mm})^2$.

2.1 List two (02) characteristics of normal distribution. (2 marks)

.....
.....

2.2 Find the percentage of individuals whose systolic blood pressure is between 90 Hg/mm and 110 Hg/mm. (3 marks)

.....
.....
.....

2.3 The individuals who have systolic blood pressure greater than or equal to 125 Hg/mm is categorized as "at risk" for getting hypertension. Compute the percentage of individuals who are at risk of getting hypertension. (7 marks)

.....
.....
.....
.....
.....
.....
.....
.....
.....

2.4 The mean, median and mode of systolic blood pressure of individuals in cardiac unit are 180Hg/mm, 140Hg/mm and 120Hg/mm respectively.

Interpret whether the distribution of systolic blood pressure of individuals in cardiac unit is symmetric, positively or negatively skewed distribution. (3 marks)

.....

.....

.....

.....

.....

(Total 15 marks)

INDEX NO:

Part C – Essay Questions (50 marks)

1. Normal serum albumin level of individuals is distributed with mean (μ) = 4.5g/dL. The serum albumin level of individuals in a given sample of a medical ward distributed as follows,

Serum albumin level (g/dL)	Frequency of individuals
3.5	2
4	2
4.5	4
5	4
5.2	2
5.5	2

- 1.1 Compute mean and standard error of mean of serum albumin level of given sample.
(Standard deviation of sample = 0.4) (10 marks)
- 1.2 Find out whether the serum albumin level of individuals in a medical ward is normal or not and interpret the result. (Consider $\alpha = 0.05$) (15 marks)

(Total 25 marks)

2. In a study conducted to assess the relationship between cell size and cell mobility. The researcher identified that there were two levels of cell mobility as level 1 and level 2 and three types of cell sizes as X, Y and Z. The 200 cells were in study population and the number of X and Y cells in study population were 100 and 50 respectively. The Researcher wanted to assess whether there is an association between cell size and cell mobility. (Consider $\alpha = 0.05$)


2.1 Name the suitable sampling method and compute the number of X, Y and Z cells in the sample by considering 80 cells as the size of the sample. (12 marks)

2.2 Formulate the null and alternative hypothesis to assess the research objective given above. Name a statistical test that can be used to test the above hypothesis. (6 marks)

2.3 Determine the degree of freedom and critical value related to above statistical test. (7 marks)

(Total 25 marks)

INDEX NO:



STANDARD NORMAL TABLE (Z)

Entries in the table give the area under the curve between the mean and z standard deviations above the mean. For example, for $z = 1.25$ the area under the curve between the mean (0) and z is 0.3944.

Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0190	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2969	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3513	0.3554	0.3577	0.3529	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.4993
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.4995
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.4997
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4998

Percentage Points of the Chi-Square Distribution

Degrees of Freedom	Probability of a larger value of χ^2								
	0.99	0.95	0.90	0.75	0.50	0.25	0.10	0.05	0.01
1	0.000	0.004	0.016	0.102	0.455	1.32	2.71	3.84	6.63
2	0.020	0.103	0.211	0.575	1.386	2.77	4.61	5.99	9.21
3	0.115	0.352	0.584	1.212	2.366	4.11	6.25	7.81	11.34
4	0.297	0.711	1.064	1.923	3.357	5.39	7.78	9.49	13.28
5	0.554	1.145	1.610	2.675	4.351	6.63	9.24	11.07	15.09
6	0.872	1.635	2.204	3.455	5.348	7.84	10.64	12.59	16.81
7	1.239	2.167	2.833	4.255	6.346	9.04	12.02	14.07	18.48
8	1.647	2.733	3.490	5.071	7.344	10.22	13.36	15.51	20.09
9	2.088	3.325	4.168	5.899	8.343	11.39	14.68	16.92	21.67
10	2.558	3.940	4.865	6.737	9.342	12.55	15.99	18.31	23.21
11	3.053	4.575	5.578	7.584	10.341	13.70	17.28	19.68	24.72
12	3.571	5.226	6.304	8.438	11.340	14.85	18.55	21.03	26.22
13	4.107	5.892	7.042	9.299	12.340	15.98	19.81	22.36	27.69
14	4.660	6.571	7.790	10.165	13.339	17.12	21.06	23.68	29.14
15	5.229	7.261	8.547	11.037	14.339	18.25	22.31	25.00	30.58
16	5.812	7.962	9.312	11.912	15.338	19.37	23.54	26.30	32.00
17	6.408	8.672	10.085	12.792	16.338	20.49	24.77	27.59	33.41
18	7.015	9.390	10.865	13.675	17.338	21.60	25.99	28.87	34.80
19	7.633	10.117	11.651	14.562	18.338	22.72	27.20	30.14	36.19
20	8.260	10.851	12.443	15.452	19.337	23.83	28.41	31.41	37.57
22	9.542	12.338	14.041	17.240	21.337	26.04	30.81	33.92	40.29
24	10.856	13.848	15.659	19.037	23.337	28.24	33.20	36.42	42.98
26	12.198	15.379	17.292	20.843	25.336	30.43	35.56	38.89	45.64
28	13.565	16.928	18.939	22.657	27.336	32.62	37.92	41.34	48.28
30	14.953	18.493	20.599	24.478	29.336	34.80	40.26	43.77	50.89
40	22.164	26.509	29.051	33.660	39.335	45.62	51.80	55.76	63.69
50	27.707	34.764	37.689	42.942	49.335	56.33	63.17	67.50	76.15
60	37.485	43.188	46.459	52.294	59.335	66.98	74.40	79.08	88.38

INDEX NO:

t - Table

(2 tail)	0.1	0.05	0.02	0.01	0.005	0.002	0.001
df							
1	6.3138	12.7065	31.8193	63.6551	127.3447	318.493	636.405
2	2.92	4.3026	6.9646	9.9247	14.0887	22.3276	31.5989
3	2.3534	3.1824	4.5407	5.8408	7.4534	10.2145	12.9242
4	2.1319	2.7764	3.747	4.6041	5.5967	7.1732	8.6103
5	2.015	2.5706	3.365	4.0322	4.7734	5.8934	6.8688
6	1.9432	2.4469	3.1426	3.7074	4.3168	5.2076	5.9589
7	1.8946	2.3646	2.998	3.4995	4.0294	4.7852	5.4079
8	1.8595	2.306	2.8965	3.3554	3.8325	4.5008	5.0414
9	1.8331	2.2621	2.8214	3.2498	3.8325	4.2969	4.7809
10	1.8124	2.2282	2.7638	3.1693	3.6896	4.2969	4.5869
11	1.7959	2.201	2.7181	3.0158	3.4966	4.0247	4.4369
12	1.7823	2.1788	2.681	3.0545	3.4284	3.9296	4.3178
13	1.7709	2.1604	2.6503	3.0123	3.3725	3.852	4.2208
14	1.7613	2.1448	2.6245	2.9768	3.3257	3.7874	4.1404
15	1.753	2.1314	2.6025	2.9467	3.286	3.7328	4.0728
16	1.7459	2.1199	2.5835	2.9208	3.252	3.6861	4.015
17	1.7396	2.1098	2.5669	2.8983	3.224	3.6458	3.9651
18	1.7341	2.1009	2.5524	2.8784	3.1966	3.6105	3.9216
19	1.7291	2.093	2.5395	2.8609	3.1737	3.5794	3.8834
20	1.7247	2.086	2.528	2.854	3.1534	3.5518	3.8495