

The Open University of Sri Lanka
Faculty of Engineering Technology
Department of Electrical & Computer Engineering



Study Programme	: Bachelor of Software Engineering Honors
Name of the Examination	: Final Examination
Course Code and Title	: EEZ3361/ECZ3161 – Mathematics for Computing
Academic Year	: 2019/2020
Date	: 26 th July 2020
Time	: 1330-1630hrs
Duration	: 3 hours

1. Read all instructions carefully before answering the questions.
2. This question paper consists of **Eight (8)** questions in **Five (5)** pages.
3. Answer any **five** out of eight questions. All question carry equal marks.
4. Show all steps clearly.
5. Answer for each question should commence from a new page.
6. This is a Closed Book Test (**CBT**).
7. **Programmable** calculators are not allowed.
8. Do not use red color pen.

Q1

a) Let A, B, C and D be Boolean variables. Prove the following identities [6]

i. $AB + \bar{A}C + BC = AB + \bar{A}C$

ii. $(\overline{AB})(\bar{A} + B)(\bar{B} + B) = \bar{A}$

iii. $\overline{AB + B(C + \bar{C})} = \bar{A}\bar{B} + \bar{A}B + \bar{A}CD + BCD$

b) Using Truth Tables, show the following: [4]

i. $(\bar{a} + \bar{b})(\bar{a} + b) = \bar{a}$

ii. $x + \bar{y} + z = \bar{x}y\bar{z}$

c) Consider the following truth table. [10]

A	B	C	D	Result
0	0	0	0	1
0	0	0	1	1
0	0	1	0	1
0	0	1	1	1
0	1	0	0	0
0	1	0	1	0
0	1	1	0	0
0	1	1	1	0
1	0	0	0	0
1	0	0	1	0
1	0	1	0	1
1	0	1	1	1
1	1	0	0	0
1	1	0	1	0
1	1	1	0	1
1	1	1	1	1

- i. Setup the Karnaugh map for the above truth table.
- ii. Then find the solution and simplify using the Karnaugh map.

Q2

- a) If $A = \begin{bmatrix} 1 & -1 \\ 2 & 0 \end{bmatrix}$, then show that [6]

$$A^2 + 2I = A; \text{ where } I \text{ is the identity matrix of order 2.}$$

b)

Let $A = \begin{bmatrix} -1 & 1 & -1 \\ 3 & -3 & 3 \\ 5 & -5 & 5 \end{bmatrix}$. Show that $A^2 = A$. [8]

Hence, deduce that $(I - A)^2 = (I - A)$, where I the identity matrix of order 3.

c)

Let $A = \begin{bmatrix} -5 & -8 & 0 \\ 3 & 5 & 0 \\ 1 & 2 & -1 \end{bmatrix}$.

Show that $A^2 = I$, where I is the identity matrix of order 3. [6]

Q3 Let $A = \begin{bmatrix} 0 & 1 & 2 \\ 1 & 2 & 3 \\ 3 & 1 & 1 \end{bmatrix}$.

- a) Find AA^T [6]

- b) Using Gaussian elimination method, find the inverse of the matrix A . [14]

Q4

- a) Given that $\sin \theta = \frac{3}{8}$ and $0 < \theta < \frac{\pi}{2}$, and $\sin \alpha = \frac{5}{13}$, $\frac{\pi}{2} < \alpha < \pi$. Find

[12]

- i. $\sin(\theta - \alpha)$ ii. $\cos(\theta + \alpha)$ iii. $\tan(\theta - \alpha)$

- b) Sketch the graph of $y = \cos^2 x$, where $-2\pi \leq x \leq 2\pi$ [8]

Q5

- a) Write a formula for $\sin(A + B)$ [6]

- i. Using the above formula, prove that $\sin 3A = 3\sin A - 4\sin^3 A$.

- ii. Hence, find the value of $\sin 135^\circ$
- b) Prove the following trigonometric identities [9]
- $(1 - \cos^2 x)(1 + \cos^2 x) = 2\sin^2 x - \sin^4 x$
 - $\frac{2\cos^2 x}{2\cot x - \sin 2x} = \tan x$
 - $\sin 75^\circ + \sin 15^\circ = \sqrt{\frac{3}{2}}$
- c) Find the general solution of the following equation [5]
- $$2\sin^2 x - 3\sin x + 1 = 0 \text{ in the range } 0^\circ \leq x \leq 360^\circ$$

Q6

- a) Evaluate the following limits. [6]
- $\lim_{x \rightarrow 0} \frac{\tan x - x}{\sin x}$
 - $\lim_{x \rightarrow 3} \frac{x^2 - 5x + 6}{x^2 - 2x - 3}$
 - $\lim_{x \rightarrow 1} \frac{1 - \cos x}{x^2}$
- b) Differentiate the following functions with respect to x . [8]
- $y = e^{-2x} \sin 2x$
 - $y = \left(\frac{x \sin x}{1 + \cos x} \right)$
- c) Find the equation of the tangent to the curve $y = \sin(3x) + 1$ at the point where $x = \frac{\pi}{3}$

[6]

Q7

- a) Using the first principles, find the first derivative of the following.

[12]

- $y = x^2 + 3x + 2$
- $y = \frac{1}{1+x}$

iii. $y = \sin x + 1$

iv. $y = \cos x$

- b) Taking $x_0 = 1$ as an initial approximation for the root of Newton-Raphson formula, obtain two further approximations to the positive root of $x^2 - 3 = 0$, giving your answers to 3 decimal places.

[8]

Q8

- a) Find the following indefinite integrals.

[6]

i. $\int (\sin 2x - \cos 3x) dx$

ii. $\int \sin(1 - x) dx$

- b) Evaluate the following definite integrals.

[8]

i. $\int_0^2 \frac{1}{x^2+4} dx$

ii. $\int_0^3 \frac{1}{\sqrt{9-x^2}} dx$

c)

[6]

- i. Sketch the curves of the graph of $y = x^2$ and the straight line $y = x$ in the same figure.
- ii. Find the coordinates of the points of intersection of the curves.
- iii. Hence, find the area bounded by the two curves $y = x^2$ and $y = x$.

