

THE OPEN UNIVERSITY OF SRI LANKA
 FACULTY OF ENGINEERING TECHNOLOGY
 DEPARTMENT OF ELECTRICAL & COMPUTER ENGINEERING
 BACHELOR OF TECHNOLOGY
 ECX6235 – COMPILER DESIGN



Date: March 13, 2012

Time: 1400 – 1700 hrs

Important:

1. This question paper consists of **seven** questions.
2. Answer **all** questions in **Part A** (60 marks) and **TWO** from **Part B** (40 marks).

Part A

Consider the following description of a compiler to answer Q1 to Q3.

The following “simple integer expression” grammar is used to do some basic arithmetic operations (only \times , $+$, $-$) with standard precedence level for one digit integers. As examples, this grammar produces such forms as 3, $(5+8)$ and $2+3\times 4-1$.

$exp \rightarrow exp \text{ addop } term \mid term$

$addop \rightarrow + \mid -$

$term \rightarrow term \text{ mulop } factor \mid factor$

$mulop \rightarrow \times$

$factor \rightarrow (\text{ exp }) \mid number$

Q1

- (a) What are the terminals and the non-terminals in this grammar? [02]
- (b) Define the token table for this compiler. [03]
- (c) Briefly explain, how the lexical analyzer would process an input string of this language. [05]
- (d) Write the stream of tokens generated by the lexical analyzer for the input string $(5+8)$. [02]

Q2

- (a) Explain why the grammar is not LL(1). [02]
- (b) Convert this grammar into LL(1). [04]
- (c) Construct FIRST and FOLLOW sets for the above (b). [16]
- (d) Show that the resulting grammar in (b) is LL(1). [04]
- (e) Construct the LL(1) parsing table for the resulting grammar in (b). [10]

Q3

- (a) What is the *context handling* in this compiler? [02]
- (b) Define the instructions for the code generation phase of this compiler. Assume a stack-based (post-fix) system. [05]
- (c) By using the instructions in (b), write the result of the code generation phase when the input string is : $2+3\times 4-1$ [05]

Part-B

Q4

- (a) Draw NFA for the regular expression $(10)^*(01|1^*)$. [05]
- (b) Convert the NFA obtained in (a) to DFA. [15]

Q5 Consider the grammar.

$$E \rightarrow BA$$

$$A \rightarrow \&BA \mid \varepsilon$$

$$B \rightarrow TRUE \mid FALSE$$

; Where E, A, B are non-terminals and others are terminals.

- (a) Derive the string: $TRUE \& FALSE \& TRUE$ [02]
- (b) Define the Chomsky Normal Form (CNF) for CFGs. [02]
- (c) Convert the given grammar into CNF. [14]
- (d) Derive the above string in (a) using your new grammar in (c). [02]
 {Clearly indicate whether you use *leftmost* or *rightmost* derivation when answering (a) and (d)}

Q6 Consider the following grammar.

$$S \rightarrow aSb \mid ab$$

- (a) Find the LR(1) sets of items. [08]
- (b) Compute the LR(1) parsing table (Action - Goto) for the corresponding shift-reduce parse engine. [08]
- (c) Show the parsing steps (Input – Action) for the string: $aabb$ [04]

Q7 A Turing Machine accepts only the strings of the form $a^n b^n c^n$ for ($n > 0$) and the blank symbol B.

- (a) Draw the transition graph. [14]
- (b) List the moves made for input $aabbcc$ using instantaneous descriptions. [6]

END.